

Catalina 425

Standard Equipment

CONSTRUCTION

- One-Piece Fiberglass Hull with End Grain Balsa Core Sandwich Construction Above the Waterline, and a Vinylester Integral Barrier to Resist Osmosis Blistering
- One-Piece Fiberglass Deck with End Grain Balsa Core and Molded-In Diamond Pattern Non-Skid Surfaces Finished in Two-Tone White and Grey
- One-Piece Fiberglass Deck Liner Finished in NonGlare Texture
- One-Piece Molded Fiberglass Structural Grid
- One-Piece Molded Fiberglass Hull Liner with Satin Finish
- Lead Fin Keel with 316 Stainless Steel Attaching Bolts
- Five Year Gel Coat Blister Protection * (2)
- Five Year Hull Structure Warranty * (3)

SPARS AND RIGGING

- Furling Mainsail with Vertical Battens
- Self Tacking Jib, with U.V. Protection, White
- Complete Standing and Running Rigging, 316 SS
- Internal Pre-Stretched Dacron Halyards
- Wiring Conduit with Messenger in Mast
- Selden In-Mast Mainsail Furling System
- Selden Anodized Double Spreader Mast and Boom

SAIL HANDLING AND EQUIPMENT

- (2) Two-Speed Self Tailing Primary Winches
- (2) Two-Speed Self Tailing Jib Halyard Winches ST Port/Starboard
- Double Ended Mainsheet System Led Aft to Helm Position
- (1) 10 " Winch Handle, ball bearing
- Ball Bearing Mainsheet Traveler with Car Adjuster System led to Portside
- 11 ' Genoa Tracks Inboard with Ball Bearing Low Lead Blocks
- All Halyards led Aft, to Sheet Stoppers
- Headsail Furling System
- Selden Boom Vang, Rigid Adjustable Type

PROPULSION, STEERING & CONTROLS

- Single Lever Engine Controls Mounted on Starboard Side
- Yanmar (4) Cylinder Diesel Engine, 57 HP, Fresh Water Cooled with Common Rail Electronic Fuel System
- Bronze Propeller, Three Blade
- Sea Water Filter for Engine Cooling
- Centrally Mounted Electronic Engine Instruments
- Emergency Tiller Access and Emergency Tiller
- Dual Station Pedestal Steering with wheel brake
- Twin 32 " Destroyer Wheels
- Bilge Blower and Ventilation System
- Illuminated Compass in Cockpit Table

DECK HARDWARE

- Fiberglass Cockpit Table with (2) Leaves, Foot- brace, Center insulated Compartment, and Handrails
- Walk Through Stern with Transom Boarding Platform
- Stern Boarding Ladder. Telescopic Type
- 27 ” Double Lifelines with Gates Port and Starboard
- Mooring Cleats, Two Fore and Aft
- Midship Spring Line Cleats
- Molded-In Gel Coat Waterline, Midwatch Blue
- Midwatch Blue and Silver Sheer Stripes
- Large Double Anchor Rollers on Foredeck with Mounting Point for Code “ 0 ” or Asymmetrical Spinnaker
- Electric Anchor Windlass with Power Up and Down Handheld remote control
- Large Divided Anchor Locker for Below Deck Chain and Rode Storage
- Stainless Steel Handrails on Cabin Top
- Stern Rails with Observation Seats, Cup Holders, Outboard Bracket and flag staff mount
- LPG Storage Locker for (2) 10 lb. alum. Tanks
- Hot & Cold Shower Mounted In Transom Boarding Area
- Water-Tight Strike Zone Collision Bulkhead at Bow

INTERIOR

- Multi coat Varnish Finish On Interior Teak and maple
- Veneer Bulkheads with Solid Teak Trim
- Cabin Window Shades
- Navigation Station with Chart Table and 110 and 12 volt outlets & USB port
- Owner’s Stateroom with Large Double Berth. Cedar lined Hanging Locker, Drawers, and Private Head with vessel sink
- Teak and Holly Textured High Pressure Laminate Sole
- Inner Spring Mattresses on Fore and Aft Berths with Custom Fitted Sheets
- LED Interior Lighting
- Main Saloon Features Large Dinette, Gloss Finished Dining Table to Port, Seating Starboard with central navigation table
- Guest Stateroom Aft on Starboard, Features Large Double Berth, Hanging Locker, and ample storage
- Third Cabin Aft to Port, Convertible to Double Berth, Upper/Lower Berths, or Storage Locker
- Dedicated Cabinet for easy access to Engine Filters located in Aft Port Cabin

GALLEY

- Front Loading Refrigeration, D.C. Powered with Freezer Compartment
- Top Loading Insulated Compartment, Available as a Second Refrigerator or Freezer
- Polished Double Stainless Steel Sinks
- Large Storage Cabinets over Galley
- Large Storage Lockers with Drawers and Bins
- Gimbale (3) Burner L.P.G. Stove w/Oven, Polished
- Multi-Drawer Bank with Utensil Storage Rack
- Microwave Oven, AC Powered
- Single Lever Faucet with Pull-Out Sprayer

PLUMBING SYSTEM

- Pressure Water Distribution System with Filter at Pump and Tank Selection Valves for (3) Tanks
- 11 Gallon Hot Water Heater with Engine Heat Exchanger and 110V Electric Heating Element
- (2) Electric Macerating Heads with Holding Tanks and Deck and Thru-Hull Outlets
- Electric Bilge Pump with Float Switch
- Manual Bilge Pump and Bilge High Water Alarm
- Head Compartment Forward with Vanity Counter, Medicine Chest and Shower Compartment Stall
- Head Aft with Vanity, Sink, Medicine Chest, and Shower

ELECTRICAL SYSTEM

- Three Heavy Duty 8-D 12 Volt Marine Deep Cycle Batteries
- 60 Amp Battery Charger, Multi-Bank Automatic
- L.E.D. Running Lights, Fore and Aft
- 110 Volt, 30 AMP Shore Power System with circuit breakers
- (1) 110 Volt, 30 AMP, Shore Power Cord 50 ft.
- L.E.D. Anchor Light at Masthead
- 12 Volt Lighting Throughout
- Custom 115 Volt AC/12 Volt DC Electric Panel
- Circuit Breakers for AC and DC Electrical Panel and Windlass Control
- Shore Power Galvanic Isolator
- Ground Fault Circuit Protection with ELGCI
- A.C. Duplex Receptacles Throughout

SAILING INSTRUMENTS

- Raymarine i70 2-Multi Function Displays with Transducer 1 Mounted at Port and the other at Starboard Helm Stations - Speed, Depth & Wind